

Alcotex 72.5 is a polyvinyl alcohol which has been specifically developed for use as a primary suspending agent for vinyl chloride suspension polymerisation. It is manufactured by Synthomer Ltd using our exclusive process which has advantages over other manufacturing methods, in that it enables more efficient control over the degree of hydrolysis and particle size of the product.

For further information regarding this product please refer to:

Stacey Syron

Phone: +44 1279775-329
eMail: Stacey.Syron@synthomer.com

For further information regarding this product please refer to:

Jack Wheatley

Phone: +44 (0) 1279 741 225
eMail: Jack.Wheatley@synthomer.com

Property	Typical Value	Unit	Method ¹
Appearance	Off white to pale yellow granules		
Ash Content	0.5 max	% as Na ₂ O	ATP33
Degree of Hydrolysis	71.5 – 73.5	mole %	ATP10
Total Solid Content	>95.0	%	ATP1
Viscosity 4% solution @ 20°C	5.6 – 6.6	mPa.s	ATP7

¹ internal method based upon the specified norm

Application Advice

For detailed information, please contact the Alcotex Technical Service Team at alcotex@synthomer.com

Shipping and Storage

Alcotex 72.5 should be stored away from wet areas and naked flames. Ingress of moisture should be avoided to maintain product quality.

As supplied, the product should remain fit for use for 24 months from the date of production. Beyond that date, the material may still be fit for use, but we would advise that it is good practice to test the material. As such, we advise that material stored for 12 months or more after delivery should be tested before use.

Aqueous solutions of AlcotAlcotex 72.5 is supplied in 25kg (nominal) plastic sacks. Each sack carries the grade number, batch number and net weight. Deliveries are palletised with each pallet being stretch wrapped and labelled with the relevant shipping marks. ex 72.5, if stored for long periods at elevated temperatures are prone to mould and bacterial attack.

Alcotex 72.5 is supplied in 25kg (nominal) plastic sacks. Each sack carries the grade number, batch number and net weight. Deliveries are palletised with each pallet being stretch wrapped and labelled with the relevant shipping marks.

Product Safety

Before handling, please read the Safety Data Sheet of this product for advice on safety, use and disposal.