

Next generation water-based polymer for long lasting, high performance floor finishes in high traffic environments

MOR-GLO™ DURABLE is a styrene acrylic polymer that delivers durability and extended protection, reducing labor costs and business down-time by decreasing the number of stripping and re-polishing cycles during the life of the floor.

For further information regarding this product please refer to:

Coatings Synthomer

eMail: coatings@synthomer.com

Property	Typical Value	Unit	Method ¹
pH	8.0		
Viscosity [Brookfield RVT #1/20 rpm @25°C]	<50	cps	
Minimum Film Forming Temperature [MFFT]	38 (100 °F)	°C	
Density	8.8	lb/gal	
Crosslinking	Zinc crosslinked		
Total Solids	38.0	%	ISO 3251

¹ internal method based upon the specified norm

Key advantages

- Superior scuff and scratch resistance
- Outstanding response to burnishing
- Excellent resistance to dirt pick up and discoloration
- Ease of removability versus two component finishes
- Excellent resistance to blushing, staining and film breakdown from contaminants
- APE-free

Shipping and Storage

This product is supplied in road tankers or in non-returnable plastic drums secured by a lid with clamping ring or in non-returnable palletized bulk containers (net volume 1.000 lt). The product must be protected from frost and exposure to direct sunlight. Storage temperatures between +5 °C and +30 °C (41°F and 95°F) are recommended. The product contains in-can preservation to protect it against microbiological attack during transportation. For protection against microbiological contamination during storage stringent plant hygiene is essential. Depending on the storage conditions addition of suitable preservatives may be necessary. Care must be taken that drums and containers are properly closed. During storage, shipping and handling contact with metal surfaces that are not corrosion protected must be avoided. When stored properly, the product has a shelf life of 12 months from the date of manufacture.

Product Safety

Before handling, please read the Safety Data Sheet of this product for advice on safety, use and disposal.