

**Mor-Shine E** is a dry-bright polish concentrate with excellent gloss retention, as well as mar and scratch resistance.

Mor-Shine E is used for general purpose finishes that respond to low and high maintenance schedules.

For further information regarding this product please refer to:

Maurille Secher

Tel: +33 1 6929 2752

eMail: maurille.secher@synthomer.com

Property	Typical Value	Unit	Method <sup>1</sup>
Chemistry Type	Water-based styrene acrylic copolymer		
Solids Content	38.0	%	
pH	8.0		
Viscosity [Brookfield LVT #1/20 rpm @25°C]	<150	cps	
Density	8.8	lb/gal	
Crosslinking	Zinc crosslinked		

<sup>1</sup> internal method based upon the specified norm

## Key Advantages

- High gloss
- Easy to formulate
- Long-term gloss retention
- Good adhesion to multiple surfaces
- Good re-coatability
- VOC compliant
- Excellent durability
- Low cost, bid-type polishes can be produced
- APE-free

## Shipping and Storage

This product is supplied in road tankers or in non-returnable plastic drums secured by a lid with clamping ring or in non-returnable palletized bulk containers (net volume 1.000 lt). The product must be protected from frost and exposure to direct sunlight. Storage temperatures between +5 °C and +30 °C are recommended. The product contains in-can preservation to protect it against microbiological attack during transportation. For protection against microbiological contamination during storage stringent plant hygiene is essential. Depending on the storage conditions addition of suitable preservatives may be necessary. Care must be taken that drums and containers are properly closed. During storage, shipping and handling contact with metal surfaces that are not corrosion protected must be avoided. When stored properly, the product has a shelf life of 12 months from the date of manufacture.

## Product Safety

Before handling, please read the Safety Data Sheet of this product for advice on safety, use and disposal.