

REVACRYL L 8761 is a anionic acrylic ester and styrene copolymer for various construction applications like ceramic tile adhesives.

For further information regarding this product please refer to:

Thomas Fachinger

Tel: +49(0)6181-9880094

eMail: thomas.fachinger@synthomer.com

Property	Typical Value	Unit	Method ¹
Total Solids	50.0	%	DIN EN ISO 3251
pH	8,0		DIN ISO 976
Viscosity (Brookfield RVT)	300	mPas	DIN EN ISO 2555
Minimum Film Forming Temperature	5	°C	DIN ISO 2115

¹ internal method based upon the specified norm

Application Advice

REVACRYL L 8761 has been specially designed for manufacturing ready to use ceramic tile adhesives based on silica or calcium carbonate. These adhesives show a very high water resistance compared to adhesives produced with conventional styrene acrylic emulsions.

Thanks to the low film forming temperature of L 8761, it's possible to formulate adhesive pastes or coatings with a lower dosage coalescing agent or without. REVACRYL L 8761 is used as a multipurpose latex suitable for the following applications :

- Ceramic tile adhesive
- Primer
- Renders
- Plasters
- ETICS in paste

Shipping and Storage

This product is supplied in road tankers or in non-returnable plastic drums secured by a lid with clamping ring or in non-returnable palletized bulk containers (net volume 1.000 lt). The product must be protected from frost and exposure to direct sunlight. Storage temperatures between +5 °C and +30 °C are recommended. The product contains in-can preservation to protect it against microbiological attack during transportation. For protection against microbiological contamination during storage stringent plant hygiene is essential. Depending on the storage conditions addition of suitable preservatives may be necessary. Care must be taken that drums and containers are properly closed. During storage, shipping and handling contact with metal surfaces that are not corrosion protected must be avoided. When stored properly, the product has a shelf life of 6 months from the date of delivery.

Product Safety

Before handling, please read the Safety Data Sheet of this product for advice on safety, use and disposal.