

Wingstay™ L

A Complete Solution
for Oxidation





EXCELLENT ANTIOXIDANT FOR EXTENSION OF RUBBER AND PLASTICS GOODS' LIFE CYCLE

Wingstay™ L is a highly effective polyphenol antioxidant which is suitable for natural and synthetic polymer-based articles like ABS, NBR, NR and XSBR.

Wingstay™ L offers maximum protection against product degradation and discoloration during processing and storage. It helps to extend rubber and plastic goods' life cycle and reduce service costs by protecting them from oxygen degradation. It also preserves the desired brittleness and stickiness required for a specific application.

Wingstay™ L antioxidant can be used directly, or after being pre-dispersed or emulsified for latex.



Performance Highlights

- Protection of natural and synthetic polymers
- Non-discoloring, non-pinking
- Excellent color purity
- Persistent as a process stabilizer
- Low volatility


Sustainability Highlights

- Prolong life cycle for product

The charts below show the comparison of Wingstay™ L against other types of antioxidants and the performance of Wingstay™ L for natural rubber glove application.


Wingstay™ L is more persistent than mono and bisphenol antioxidants

Volatility



Wingstay™ L is recommended as a suitable antioxidant for the protection of natural rubber-based articles

Natural Rubber Glove Resistance to detergent leaching at 70°C



Wingstay™ L allows formulator to achieve the best antioxidation properties for rubber glove formulations.

Wingstay™ L is manufactured and supplied by Synthomer, one of the world's leading suppliers of speciality chemicals with strong presence in a wide range of markets worldwide. Our state-of-the-art Wingstay™ L manufacturing facility near Shanghai enables us to have shorter lead time and service our customers better.

Wingstay™ L Characteristics	Value
Physical Form	Powder / Flakes
Glass transition temp	95°C minimum
Insoluble in toluene	0.3% maximum
Gardner color	1 maximum

Disclaimer: This information or data and any other advice or recommendations given or made by us (collectively "Information") are not intended to, nor do they, constitute professional advice or services. Information is provided "AS IS" and on an "AS AVAILABLE" basis and without warranty. We do not warrant or accept responsibility for the accuracy, timeliness or completeness of the Information or data or its suitability for a particular purpose. Synthomer makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Synthomer disclaims (i) any and all liability arising out of the application or use of any product (including as to infringement of third party intellectual property rights), (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability. Any Information concerning any possible use or application of Synthomer products is given by us in good faith and it is entirely for you to satisfy yourself fully as to the suitability of Synthomer products for any particular purpose. Synthomer products are sold in accordance with Synthomer's standard terms and conditions of sale which are available from www.synthomer.com/tc.

GROUP HEAD OFFICE
Synthomer plc
45 Pall Mall
London SW1Y 5JG
United Kingdom
info@synthomer.com

OPERATIONAL CENTRE ASIA
Synthomer SdnBhd
Unit 16-2, Level 16,
UOA Damansara II,
No. 6 Changkat Semantan,
Damansara Heights,
50490 Kuala Lumpur,
Malaysia

OPERATIONAL CENTRE AMERICAS
Synthomer US
25435 Havard Road
Beachwood, OH 44122
USA
Phone: +1 216-682-7000
Cust. Svc: +1 888-253 5454
pccustserv@synthomer.com

www.synthomer.com